




METRO CERAMICS

8-A, National Highway, Lakhdhipur Road,
Morbi 363 642, Gujarat, INDIA.


metrofloortiles@gmail.com | +91 99798 43682

www.metrowoodentiles.com



FIND
THE
WOOD
FLOOR
THAT
SUITS
YOUR
STYLE

contemporary elegance
150x900mm



FRAGMENTS OF ETERNITY

THE FOREST INSIDE THE HOME, BREATHING NATURE, FEELING OF FREEDOM.
THE NATURAL WOOD OF PORCELAIN COLLECTS UNIQUE AND
UNMATCHABLE, PURE AND ALIVE FRAGMENTS OF ETERNITY.

EL BOSQUE DENTRO DEL HOGAR, RESPIRAR NATURALEZA, SENSACIÓN DE
LIBERTAD. LA MADERA NATURAL DE PORCELAIN RECOGE FRAGMENTOS
DE LA ETERNIDAD ÚNICOS E INIMITABLES, PUROS Y VIVOS.

LA FORÊT À L'INTÉRIEUR DE LA MAISON, RESPIRER LA NATURE, SE SENTIR
LIBRE. LE BOIS NATUREL DE PORCELAIN RECUEILLE DES FRAGMENTS
D'ÉTERNITÉ UNIQUES ET INIMITABLES, PURS ET VIVANTS.



VALUE
OF
THE
PASSING
OF
TIME

recreating the charm
and beauty
of worn upholstery
and antique
collection.


150x900mm



L 6 1047



L 6 1048



L 6 1047
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





L6 1049



L6 1050



L6 1050
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 102



NRC 107



NRC 102
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 108



NRC 109



NRC 109
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 110



NRC 111



NRC 110
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 112



NRC 114



NRC 114
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES






NRC 201



NRC 202




NRC 201
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 204



NRC 301



NRC 301
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 302



NRC 303



NRC 302
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 304



NRC 306




NRC 306
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 305



NRC 307



NRC 307
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 308



NRC 309



NRC 309
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 401



NRC 402



NRC 401
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 403



NRC 404



NRC 404
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 406



NRC 407




NRC 406
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 408



NRC 501



NRC 502



NRC 501
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 334



DM 15905




NRC 334
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





QLD 915983



QLD 915982




QLD 915982
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





QLD 915981



5017



5017
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





D9 1507



D9 1508




D9 1507
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





D9 1509



D9 1510




D9 1509
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





D9 1511



N9 1901




N9 1901

150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES





NRC 712



NRC 712
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES






IPE OUT GREY



IPE OUT BLACK



IPE OUT NATURE



IPE OUT NATURE
150x900mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK TILES



PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Coverage Area in Sq. Feet	Approx. Weight / Box
1	150x900mm	8	11.62sq.ft.	22kgs.

DISCLAIMER: Wooden Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

LAYING INSTRUCTIONS

TILES FIXING INSTRUCTIONS

1. All the tiles must be checked prior to fixing for quality, batch no. and choice.
2. Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
3. While fixing pick tiles from various boxes alternatively, lay them in the desired patterns and make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing tiles.
4. For fixing tiles we recommend to use the fixing adhesives or equivalent product for the best result.
5. For fixing tiles in floor using conventional method, we suggest the following laying instruction:
A: use cement and sand mortar in the ratio 1:4. Add water to create a consistent paste.
B: Apply 20-25MM of bedding materials over the floor area of 1.0SQM at a time.
C: Apply a thin coat of the slurry on the back of the tile to ensure proper and full bedding. Press gently for even adherence of the tiles with surface.
- Do not use any heavy materials like iron or hammer to press tile.
- 6: For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
- 7: Allow 3-4 days of bed curing after laying tiles and later fill the joints with grout.
- 8: We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
- 9: Please note that company will not accept any liability in case of any problems arising out of adherence of above fixing instructions.

DISCLAIMER : reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in the catalogue at any time. The colours shown in this catalogue are purely illustrative and limited to printing process. Please refer actual samples before final selection. The details of colours, sizes and references should be verified for photography errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLAINTS SHALL BE ENTERTAINED ON TILES ALREADY/FIXED.

NOTES :


- * All technical specifications in this catalogue are for premium grade materials only.
- * SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations that are the parts of designs and process. The same have been indicated.
- * It is recommended to blend tiles by mixing tiles from various boxes and check for natural hue before fixing.
- * Company’s liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- * No complaints shall be entertained regarding the decoration on tiles.




<https://youtu.be/RYpbBsyx0MU>

TILES LAYING PATTERN 1/4

Tiles Size: 150x900mm | 15x90cm



ARROW DIRECTION YOU COVERING
TILES MUST BE SETTLED CONSIDERING THE DIRECTION OF THE ARROW (↑) ON THE BACK OF TILE.



Helpful tips for better aesthetics look (Laying Instructions)

1. For better aesthetic value and for long term use, it is strongly recommended to provide 3 mm spacer in between the tiles. Without spacer, harmony of tiles might be disturbed.
2. Make sure that the design, pattern and the arrow marked on the back side of tiles must be in the same direction.
3. Any product from digitile must be installed (laid) in the same format. For the particular series customized size application is not possible.
- * THE COMPANY SHALL NOT BEAR ANY LIABILITY FOR THE PROBLEMS OUT OF NON-FULFILLMENT OF LAYING THE INSTRUCTIONS AS ABOVE.