

SHADES OF WOOD

200x1000mm



METRO CERAMICS

8-A, National Highway, Lakhdirpur Road,
Morbi 363 642, Gujarat, INDIA.

metrofloortiles@gmail.com | +91 99798 43682

www.metrowoodentiles.com





ELEGANT, SOPHISTICATED, AND ORIGINAL: IN THE
INTERPRETATIVE STUDY OF THE NATURAL ESSENCE OF WOOD,
METRO CERAMICS
ACTS AS THE SPOKESPERSON FOR THE STRENGTH AND INTENSITY
OF THE MATERIAL, FOR A CERAMIC PROJECT CAPABLE
OF GIVING INDOOR AND OUTDOOR SPACES BALANCE AND
COMFORT.

Elegante, ricercato, originale: nello studio interpretativo
dell'essenza naturale del legno, **Metro ceramics** si fa portavoce
della forza e dell'intensità della materia, per un progetto
ceramico capace di dare equilibrio e comfort agli spazi
indoor e outdoor.

Élégant, recherché, original : dans l'étude interprétative de l'essence naturelle du bois,
Metro ceramics se
fait le porte-parole de la force et de l'intensité de la matière, pour un projet céramique
capable
d'apporter confort et équilibre aux espaces intérieurs et extérieurs.

Elegant, raffiniert, originell: In der interpretativen Studie über die natürliche Essenz des Holzes
vertritt
Metro ceramics Stärke und Intensität des Materials, bei einem Keramikprojekt, das in der Lage ist,
Innen- und
Außenräumen Balance und Komfort zu verleihen.





D 6 1 5 2 3 1



D 6 1 5 2 3 4



D 6 1 5 2 3 1
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 1 5 2 3 5



D 6 1 5 2 3 8



D 6 1 5 2 3 8
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 15239



D 6 15240



D 6 15240
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 1 5 2 4 2



D 6 1 5 2 4 3



D 6 1 5 2 4 3
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 1 5 2 4 5



D 6 1 5 2 4 7



D 6 1 5 2 4 7
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 1 5 2 4 9



D 6 1 5 2 5 0



D 6 1 5 2 5 0
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





D 6 1 5 2 5 6



D 6 1 5 2 6 1



D 6 1 5 2 6 1
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK






S6 17112



S6 17117



S6 17117
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





S6 17122



S6 17121



S6 17122
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





N 9 6 1 5 3 5 2



N 9 6 1 5 3 5 4




N 9 6 1 5 3 5 4
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK






N 9 615355



S 7 20155



N 9 615355

200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





FLAGSTAFF#3



FLAGSTAFF#4



FLAGSTAFF#4
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





FLAGSTAFF#5



LONDON ROSE



LONDON ROSE
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





MAPPLE WOOD RED



MAPPLE WOOD BROWN



MAPPLE WOOD BROWN
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





NATURAL WOOD BROWN



HICKORY



NATURAL WOOD BROWN
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





G 6 60601



G 6 60602



G 6 60602
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





RUST WOOD WHITE
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK



RUST WOOD WHITE



P5 21085





DECKWOOD BEIGE



DECKWOOD WALNUT



DECKWOOD BEIGE
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





JK - 915441



JK - 915442



JK - 915441

200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





DM FRESCO PINE



BELMOND PEARL




BELMOND PEARL
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK






BELMOND MERCURY



BELMOND OBSIDIAN



BELMOND OBSIDIAN
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





CELESTE-GREYSES



CELESTE TAUPE



CALESTE-GREYSES
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





CELESTE NUTMEG



T1 465401



T1 465401
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





T3 465403



T4 465404



T3 465403

200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





T5 465405



T6 465406



T6 465406

200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





T8 8002



TRAVERTINO GREY



TRAVERTINO GREY
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK





MOIRE BEIGE



MOIRE BEIGE
200x1000mm RELAXED & COMFORTABLE LUXURIOUS WOODEN PLANK



PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Coverage Area in Sq. Feet	Approx. Weight / Box
1	200x1000mm	5	10.76sq.ft.	20kgs.

DISCLAIMER: Wooden Tiles reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime, the colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection, the details of sizes, colors, references should be verified for typographical errors.

LAYING INSTRUCTIONS

TILES FIXING INSTRUCTIONS

1. All the tiles must be checked prior to fixing for quality, batch no. and choice.
2. Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
3. While fixing pick tiles from various boxes alternatively, lay them in the desired patterns and make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing tiles.
4. For fixing tiles we recommend to use the fixing adhesives or equivalent product for the best result.
5. For fixing tiles in floor using conventional method, we suggest the following laying instruction:
A: use cement and sand mortar in the ratio 1:4. Add water to create a consistent paste.
B: Apply 20-25MM of bedding materials over the floor area of 1.0SQM at a time.
C: Apply a thin coat of the slurry on the back of the tile to ensure proper and full bedding. Press gently for even adherence of the tiles with surface.
- Do not use any heavy materials like iron or hammer to press tile.
- 6: For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
- 7: Allow 3-4 days of bed curing after laying tiles and later fill the joints with grout.
- 8: We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
- 9: Please note that company will not accept any liability in case of any problems arising out of adherence of above fixing instructions.

DISCLAIMER : reserves the right to delete and amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in the catalogue at any time. The colours shown in this catalogue are purely illustrative and limited to printing process. Please refer actual samples before final selection. The details of colours, sizes and references should be verified for photography errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLAINTS SHALL BE ENTERTAINED ON TILES ALREADY/FIXED.

NOTES :

- * All technical specifications in this catalogue are for premium grade materials only.
- * SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations that are the parts of designs and process. The same have been indicated.
- * It is recommended to blend tiles by mixing tiles from various boxes and check for natural hue before fixing.
- * Company's liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- * No complaints shall be entertained regarding the decoration on tiles.




<https://youtu.be/RYpbBsyx0MU>

TILES LAYING PATTERN 1/4


Tiles Size: 200x1000mm | 20x100cm



250mm




50:50%



it is recommended that tiles are laid grout finest


Minimum 4 mm
Unrectified tiles

Minimum 2 mm
Rectified tiles



W : CALIBRE/KALIBRE
S : 1003.0 - 1005.0mm
Y : 1005.0 - 1007.0mm
X : 1007.0 - 1009.0mm
A : 1009.0 - 1011.0mm
V : 1011.0 - 1013.0mm
L : 1013.0 - 1015.0mm
20 X 100 X 1 cm (GL) (Approx. Mate)
5 pcs. / adet
1.0 m ²

ARROW DIRECTION YOU COVERING
TILES MUST BE SETTLED CONSIDERING THE DIRECTION OF THE ARROW (➡) ON THE BACK OF TILE.



Helpful tips for better aesthetics look (Laying Instructions)

1. For better aesthetic value and for long term use, it is strongly recommended to provide 3 mm spacer in between the tiles. Without spacer, harmony of tiles might be disturbed.
2. Make sure that the design, pattern and the arrow marked on the back side of tiles must be in the same direction.
3. Any product from digitile must be installed (laid) in the same format. For the particular series customized size application is not possible.
- * THE COMPANY SHALL NOT BEAR ANY LIABILITY FOR THE PROBLEMS OUT OF NON-FULFILLMENT OF LAYING THE INSTRUCTIONS AS ABOVE.